




# LIEBIG® lightning protection anchor

Retrofitted grounding systems



# LIEBIG<sup>®</sup> lightning protection anchor

Recommended by German association „Verband Deutscher Blitzschutzfirmen e. V. (VDB)“



## LIEBIG® lightning protection anchor SUPERPLUS BLS M8-14 A4



### Cross references

Cleaning brush  
 Blow-out pump  
 Tool belt  
 Hammer drill SDS-plus  
 Installation tool for through bolts  
 Cordless hammer drill  
 Torque wrench  
 Socket wrench

### Application range

> Retrofitted grounding systems


### Base materials

Also suitable for  
 > Concrete

### Properties

- > A4 stainless steel
- > Automatic self-undercutting, unique heavy-duty anchor for push through installation
- > Connected retrofitted grounding systems with reinforced bars in concrete structures
- > LIEBIG® SUPERPLUS lightning protection anchors have the same properties and provide the same output as the self-undercutting SUPERPLUS anchors
- > A4 for indoor and outdoor areas, as well as industrial applications

### Technical data



Order description	Nominal size [mm]	L [mm]	d <sub>0</sub> [mm]	h <sub>1</sub> [mm]	PU [pieces]	Price/100 [EUR]	Article number	EAN
LIEBIG lightning protection anchor BLS M8-14 A4	M8	85	14	40..60	25		9650814085	4061245001111



**EJOT Baubefestigungen GmbH**

In der Stockwiese 35

57334 Bad Laasphe · Germany

T +49 2752 908-0

F +49 2752 908-731

[construction@ejot.com](mailto:construction@ejot.com)

[www.ejot.com](http://www.ejot.com)