



LIEBIG® lightning protection anchor


Retrofitted grounding systems





LIEBIG® lightning protection anchor

Unique solution for retrofitting grounding systems.



2



LIEBIG® lightning protection anchor SUPERPLUS BLS M8-14 A4



Cross references

Cleaning brush
Blow-out pump
Tool belt
Hammer drill SDS-plus
Installation tool for through bolts
Cordless hammer drill
Torque wrench
Socket wrench

Application range

> Retrofitted grounding systems

Base materials

Also suitable for


> Concrete

Properties

- > A4 stainless steel
- Automatic self-undercutting, unique heavy-duty anchor for push through installation
- Connected retrofitted grounding systems with reinforced bars in concrete structures
- > LIEBIG® SUPERPLUS lightning protection anchors have the same properties and provide the same output as the selfundercutting SUPERPLUS anchors
- > A4 for indoor and outdoor areas, as well as industrial applications

Technical data





Order description	Nominal size [mm]	L [mm]	d _o [mm]	h ₁ [mm]	PU [pieces]	Price/100 [EUR]	Article number	EAN
LIEBIG lightning protection anchor BLS M8-14 A4	M8	85	14	4060	25		9 650 814 085	4061245001111



EJOT SE & Co. KG Market Unit Construction

In der Stockwiese 35 57334 Bad Laasphe T +49 2752 908-0 F +49 2752 908-731 bau@ejot.com www.ejot.com